

2017 Common wheat flour quality, Tulare.

Entry	Name	Flour					MillingScore	Mixograph					Regular Bread Test								
		Flour Yield %	Flour Protein (as is) (14% MB)	Moist %	Ash (as is) (14% MB)			ABS %	Mixing Peak Time (mins)	Mixing Peak Height (M.U)	Score	Baking (abs %)	Mix Time (min sec)	Vol (cc)	Dough Handling (1-10)	Crumb Color (1-10)	Crumb Grain (1-10)	Crumb Texture (1-10)	Bread Symmetry (1-10)	Dough Score	
20	ANZA	69.02	13.92	13.92	14.01	0.53	0.53	76.81	65.8	2.0	57.5	2H	65.5	2.07	1040	9	6	7	6	8	1.00
112	YECORA ROJO	66.19	14.06	14.06	14.01	0.55	0.55	72.79	65.8	5.5	57.5	6H	65.5	4.26	990	8	8	8	5	9	2.14
1478	SY CAL ROJO	68.30	15.80	15.75	13.73	0.53	0.53	75.91	68.3	7.0	57.5	7H	68	4.10	1120	9	9	10	9	9	2.66
1495	UC LASSIK	67.37	14.46	14.46	14.01	0.55	0.55	73.92	68.6	5.5	50.5	5H	68.5	3.31	1030	9	8	7	7	9	1.80
1521	SY REDWING	68.33	15.75	15.69	13.71	0.58	0.58	73.38	71.4	6.5	48.5	6H	71.5	4.20	1085	7	6	7	6	9	2.34
1522	SY BLANCA ROYALE	65.49	15.80	15.76	13.77	0.61	0.60	69.20	71.1	5.5	55.0	6H	71	4.15	1085	8	6	7	6	10	2.50
1590	SY ULTRA	69.14	13.97	13.93	13.78	0.52	0.52	77.52	72.5	3.0	50.0	3H	72.5	2.31	1040	7	8	8	8	10	1.30
1608	FV 2808	63.46	12.70	12.69	13.89	0.54	0.54	70.33	70.2	4.5	45.0	5M	70	3.14	950	7	8	7	7	8	0.70
1657	SY BLANCA GRANDE 515	65.42	13.40	13.38	13.84	0.49	0.49	75.26	69.4	5.5	54.0	6H	69.5	3.40	1075	9	6	8	9	9	2.00
1658	SY SUMMIT 515	66.03	15.29	15.23	13.66	0.52	0.51	74.49	69.6	4.0	54.0	4H	70	2.36	1070	9	6	7	7	9	1.60
1660	SY 314	66.08	14.03	13.98	13.70	0.55	0.55	72.77	66.0	4.5	57.5	5H	65	3.20	1050	9	4	7	8	10	1.80
1667	NEW DIRKWIN	65.77	12.20	12.19	13.94	0.48	0.48	76.03	61.5	2.0	55.0	2H	61.5	2.05	1055	6	6	7	8	9	1.00
1680	UC PATWIN 515	64.09	14.93	14.85	13.54	0.46	0.46	75.25	70.9	4.0	55.0	4H	71	3.16	1055	9	6	8	8	9	1.60
1688	LCS STAR	65.65	17.30	17.30	14.00	0.60	0.60	69.61	72.5	7.0	66.0	7H	72.5	5.26	1075	8	6	8	7	9	2.00
1723	LCS ATOMO	65.08	12.25	12.19	13.54	0.68	0.68	65.01	75.9	4.0	54.0	4H	76	3.31	990	9	6	8	8	9	1.60
1728	WB JOAQUIN ORO	68.43	12.90	12.73	12.88	0.53	0.53	76.39	75.7	6.0	55.0	6H	74	3.45	1075	9	6	8	8	10	2.00
1730	WB 9229	66.67	13.60	13.45	13.07	0.56	0.55	73.08	72.3	7.0	50.0	7H	70	4.34	1000	9	6	9	8	9	1.86
1731	WB PATRON	68.52	14.32	14.18	13.17	0.35	0.35	85.77	67.0	2.0	52.5	2H	65	1.35	980	4	8	7	7	8	1.00
1743	UC PATWIN 515 HP	63.20	15.12	15.01	13.39	0.59	0.58	67.96	74.0	4.5	60.0	5H	74	3.20	1020	10	6	8	7	10	1.80
1745	UC YUROK	66.29	13.30	13.26	13.74	0.60	0.59	70.59	68.6	4.0	47.5	4M	68.5	3.11	1025	9	8	9	9	9	0.60
1748	WB 9112	65.57	11.65	11.56	13.33	0.51	0.50	74.52	66.1	6.5	47.5	7H	66	4.21	1005	9	8	7	7	8	2.30
1751	WB 9904	69.12	14.11	13.96	13.10	0.52	0.52	77.63	68.0	3.8	54.0	4H	70	2.20	1025	5	8	7	6	9	1.60
1766	SY VACA	58.59	15.16	15.00	13.07	0.50	0.49	67.93	64.1	2.0	59.0	2H	64	1.59	1020	7	6	8	8	9	0.00
1778	TAM204	64.62	15.54	15.46	13.57	0.43	0.43	77.33	65.0	2.5	57.5	2H	65	2.03	1025	6	6	7	7	8	1.00
1802	WB 7566	62.25	13.80	13.68	13.30	0.51	0.50	71.09	68.0	9.0	47.5	8H	68	5.10	1025	4	6	7	7	9	0.66
1815	15010-27	66.08	14.61	14.51	13.38	0.49	0.49	75.80	71.9	6.0	62.5	6H	72	4.28	1010	9	6	8	6	9	2.06
1817	15014-4	63.83	15.00	14.90	13.42	0.49	0.49	73.53	72.7	5.0	55.0	5H	72.5	3.50	1055	9	6	8	9	9	1.80
1819	APB 500709	67.87	14.30	14.27	13.85	0.59	0.59	72.70	68.8	3.5	57.5	4H	68.5	4.17	1090	9	6	8	7	9	1.95
1829	APB 501089	70.64	11.72	11.66	13.58	0.54	0.53	78.35	64.3	5.0	47.5	5M	64.5	1.29	925	4	8	7	7	6	0.70
1830	LCS 12SB0197	66.20	14.17	14.14	13.84	0.52	0.52	74.22	70.5	6.5	51.5	6H	70.5	3.45	1055	9	8	7	8	9	2.00
1831	LCS 12SB0224	66.81	14.00	14.01	14.03	0.49	0.49	76.62	68.2	7.5	52.5	8H	66	4.29	1045	7	6	8	7	10	2.04
1834	SY 13W00850	66.05	14.70	14.61	13.46	0.56	0.56	72.26	65.7	7.0	55.0	7H	66	4.36	1050	9	6	7	5	9	1.80
1835	SY 13W00886	67.52	14.60	14.53	13.61	0.54	0.54	74.77	67.5	9.0	50.0	8H	67.5	4.14	1025	8	2	8	7	9	2.54
1836	14657-170	61.94	14.49	14.42	13.61	0.69	0.69	61.09	86.1	3.8	60.0	4H	88	3.56	820	6	6	5	5	6	1.60
1837	15080-49	45.96	16.52	16.37	13.19	0.82	0.81	38.17	97.5	3.5	65.0	4H	97.5	3.41	740	4	4	4	4	4	1.60
1838	UC 16010-20	67.07	15.17	15.06	13.37	0.59	0.58	72.00	76.8	7.0	61.5	7H	76	4.22	1105	10	8	7	9	10	2.26
1839	UC 16010-32	66.93	14.61	14.50	13.37	0.57	0.56	72.81	70.8	7.0	57.0	7H	71	5.20	1010	10	8	9	8	10	0.34
1840	APB 410117	69.91	13.50	13.41	13.42	0.54	0.54	77.45	65.3	4.5	55.0	5H	65.5	3.46	1105	9	8	8	8	9	1.80
1841	APB 510453	67.89	14.35	14.30	13.68	0.51	0.51	76.65	67.7	4.0	50.0	4H	67.5	3.34	1050	9	6	9	9	9	1.60
1842	WB 9350	66.70	14.23	14.12	13.34	0.57	0.57	72.25	67.3	10.0	52.5	8H	67	7.02	1050	5	6	7	7	9	0.00
1843	XA9301	66.18	13.80	13.69	13.31	0.51	0.51	74.84	70.8	6.5	52.5	7H	71	4.14	1035	8	6	6	5	8	2.54
1844	XA9302	66.92	14.51	14.34	12.96	0.62	0.61	70.29	63.2	9.0	55.0	8H	65	5.56	1000	5	4	7	6	8	-0.86
1845	XA9501	67.23	11.25	11.12	13.04	0.46	0.46	78.80	66.1	6.0	40.0	7M	64	3.38	970	8	8	7	6	8	1.10
1846	XA9502	65.74	14.46	14.36	13.39	0.57	0.57	71.42	69.2	7.0	60.0	7H	69	4.31	1050	8	4	8	7	8	1.96
1847	XA9503	66.05	16.40	16.32	13.58	0.57	0.57	71.52	74.0	11.5	67.5	8H	74	7.17	1085	4	6	8	8	9	0.00