

2018 Common wheat flour quality, Davis.

Entry	Name	Flour						Mixograph				Regular Bread Test								
		Flour Yield %	Flour Protein (as is)	Flour Protein (14% MB)	Moist %	Ash (as is)	Ash (14% MB)	MillingScore	ABS %	Mixing Peak Time (mins)	Mixing Peak Height (M.U)	Score	Baking (abs %)	Mix Time (min sec)	Vol (cc)	Dough Handling (1-10)	Crumb Color (1-10)	Grumb Grain (1-10)	Crumb Texture (1-10)	Bread Symmetry (1-10)
112	YECORA ROJO	70.33	9.86	9.88	14.21	0.48	0.48	80.93	59.1	4.9	45.6	5M	62.5	0:24	905	8	8	7	7	7
1478	SY CAL ROJO	72.22	10.76	10.78	14.16	0.50	0.50	81.61	58.3	3.1	50.4	3M	58.5	7:12	990	9	8	8	8	9
1495	UC LASSIK	72.29	9.83	9.91	14.70	0.51	0.52	80.79	63.5	3.0	46.7	2M	63.0	15:12	925	7	7	6	4	8
1521	SY REDWING	69.69	10.41	10.52	14.92	0.48	0.49	79.83	62.8	3.6	49.7	3M	66.0	12:48	950	8	8	8	8	9
1522	SY BLANCA ROYALE	69.72	10.89	11.04	15.13	0.40	0.40	84.28	58.5	3.5	51.3	3M	60.5	7:12	970	9	8	8	7	9
1657	SY BLANCA GRANDE 515	69.77	11.67	11.79	14.95	0.50	0.50	78.96	64.3	3.4	58.3	3H	64.5	1:12	960	8	8	7	7	9
1658	SY SUMMIT 515	70.29	10.83	10.95	14.94	0.41	0.42	83.97	63.3	2.8	51.4	2M	64.5	10:48	100	8	8	8	8	8
1667	BAG NEW DIRKWIN	67.05	9.54	9.54	14.01	0.43	0.43	79.89	54.6	2.0	44.5	2M	55.0	21:36	925	3	6	6	7	5
1680	UC PATWIN 515	68.56	9.50	9.58	14.73	0.51	0.51	77.20	62.8	3.0	54.4	3M	63.0	22:00	970	8	8	7	7	8
1688	LCS STAR	72.90	11.30	11.35	14.33	0.53	0.54	80.48	60.4	4.0	49.4	4H	62.0	16:00	960	9	8	7	8	9
1723	LCS ATOMO	69.89	10.84	10.84	14.00	0.49	0.49	79.69	64.7	3.0	51.0	3M	67.0	3:36	935	8	8	7	7	8
1728	WB JOAQUIN ORO	70.06	12.97	13.06	14.61	0.44	0.44	82.46	65.7	3.2	67.5	3H	66.5	2:24	1070	10	8	9	8	10
1730	WB 9229	68.15	12.39	12.57	15.23	0.46	0.47	78.98	65.8	3.7	63.6	4H	66.5	18:24	1040	10	8	8	7	9
1731	WB PATRON	69.19	11.29	11.38	14.75	0.39	0.39	84.15	59.9	1.4	59.7	1H	60.5	18:24	890	4	8	6	7	7
1743	UC PATWIN 515HP	69.43	11.05	11.11	14.51	0.45	0.45	81.35	64.8	3.1	53.7	3M	64.0	12:00	945	7	8	8	8	8
1745	UC YUROK	71.82	11.29	11.37	14.67	0.40	0.40	86.31	63.9	2.1	55.4	1M	62.5	8:00	995	8	8	7	7	8
1748	WB 9112	71.57	11.47	11.46	13.96	0.51	0.51	80.48	63.7	3.6	54.4	4M	64.5	13:12	1070	8	7	6	7	9
1751	WB 9904	73.61	10.48	10.54	14.54	0.47	0.48	84.36	58.2	2.3	51.4	2M	60.5	12:48	920	5	9	8	7	8
1778	ASSL TAM 204	70.37	10.11	10.11	14.02	0.43	0.43	83.17	57.9	2.0	46.3	2M	58.5	7:36	870	4	8	5	5	5
1802	WB 7566	71.11	11.48	11.46	13.84	0.46	0.46	82.56	63.5	3.5	51.4	4M	65.0	12:24	920	7	8	7	8	8
1817	UC CENTRAL RED	68.10	10.69	10.82	15.06	0.45	0.46	79.54	64.5	4.1	47.6	3M	63.5	9:36	925	8	9	8	8	8
1830	LCS 12SB0197	71.76	10.34	10.36	14.18	0.48	0.48	82.17	59.8	3.3	51.5	3M	63.0	3:36	1010	9	8	8	9	9
1831	LCS 12SB0224	70.56	10.21	10.23	14.25	0.54	0.54	77.82	59.0	3.9	52.7	4M	63.5	15:12	975	9	8	9	9	9
1835	SY SIENNA	70.97	12.62	12.74	14.87	0.47	0.47	81.90	60.3	3.6	52.0	4M	61.5	14:48	1060	9	8	9	8	10
1842	WB 9350	72.12	10.86	10.90	14.31	0.45	0.45	83.95	60.7	6.1	49.1	6M	65.0	14:48	950	7	8	9	8	8
1847	WB 9433	72.67	11.13	11.16	14.23	0.47	0.47	83.62	62.0	5.8	49.6	6M	66.5	0:00	945	8	9	9	9	9
1874	APB 510477	72.69	11.84	11.86	14.11	0.40	0.40	87.41	63.0	2.7	54.5	2M	63.5	19:12	1055	9	8	7	7	9
1875	APB 511829	73.75	12.02	12.04	14.17	0.48	0.48	84.29	62.5	2.6	54.2	3H	63.5	21:12	1035	9	8	8	8	9
1876	SY 11200064-1-9	70.48	9.75	9.83	14.70	0.48	0.49	80.61	57.4	2.7	45.8	3M	61.5	10:24	910	7	8	6	7	8
1877	SY 11200083-1-3	69.69	10.65	10.74	14.66	0.48	0.48	80.03	60.9	7.5	42.9	7M	63.0	9:12	925	7	8	7	8	8
1878	SY 11200024-1-4	70.79	11.05	11.16	14.82	0.49	0.49	80.48	61.4	4.7	45.0	4M	61.5	2:48	900	7	8	7	7	8
1879	YECORA ROJO 515	67.04	12.10	12.22	14.83	0.48	0.48	77.09	64.4	6.0	44.8	6M	62.5	16:24	960	9	8	8	6	8
1880	UC 1880	70.09	11.11	11.17	14.45	0.47	0.47	80.85	65.7	2.5	53.3	2H	65.5	22:24	995	9	8	7	6	9
1881	UC 1881	69.45	11.25	11.35	14.79	0.42	0.42	82.87	63.0	4.2	56.1	5M	65.5	13:36	1010	9	8	8	9	8
1882	UC 1882	67.80	10.67	10.77	14.77	0.45	0.45	79.63	58.4	3.8	44.2	3M	60.0	22:24	970	7	8	7	7	8
1883	UC 1883	68.41	11.79	11.93	14.96	0.43	0.44	81.01	60.1	3.1	55.5	3M	60.5	9:36	985	9	9	8	8	8
1884	UC 1884	70.46	11.55	11.71	15.14	0.37	0.37	86.62	62.6	6.4	49.1	6M	64.5	16:48	1060	8	8	7	8	7
1885	UC 1885	66.17	9.38	9.46	14.76	0.47	0.48	76.52	56.6	4.5	51.0	5M	59.0	21:36	950	8	8	7	8	7
1886	XB 9512	72.51	11.37	11.42	14.33	0.48	0.48	82.79	58.8	4.5	58.2	4M	59.5	5:36	925	8	8	9	8	9
1887	XB 9510	73.96	10.35	10.35	14.07	0.49	0.50	83.77	61.2	2.1	56.9	2M	63.5	8:48	970	4	8	7	7	8
1888	XB 9511	69.81	10.31	10.32	14.06	0.43	0.43	82.67	60.6	4.6	46.2	5M	63.0	10:48	1005	8	8	8	8	8